

Mining Reels



reelcraft.com



Mining Firefighting Reels

Current Fire Hose Storage



Fire Hose on a Reelcraft Reel



Why Use Reelcraft Hose Reels?

In firefighting, response time and having the proper equipment available is critical in knocking down a blaze before it has time to spread.

Reelcraft hose reels provide an easy accessible, deployable way of getting hoses to where you need them in those emergency situations.

Reelcraft offers a variety of reels for lay flat, hard and dual agent hoses, for mediums including water, foam and dry chemical. Special or custom reels are also available from Reelcraft's Engineered product's group. Contact us with your reel specifications today!

- ✓ **Improve efficiency**
- ✓ **Increase safety**
- ✓ **Minimize leakages**
- ✓ **Reduce hose wear**
- ✓ **Increase productivity**

Custom Built Reels

Reelcraft's engineered products group custom builds reels to your specifications. Our special engineered products are developed for demanding applications in areas such as fire suppression, marine, military, aviation, hydroseeding, sewer and well cleaning, offshore oil rigs, robotic cable and much more. We offer flexibility, competitive pricing and a lasting commitment to excellence. For more than 20 years, Reelcraft's engineered products group has produced custom products to meet individualized requirements.

Reelcraft's Capabilities

Very few size and weight constraints

We build to meet most extreme size and weight constraints.

Special finishes/paint options

Options include CARC paint, marine grade epoxy, liquid enamel coat paint and powder coat paint in any color.

Various drive types

Manual crank, motorized, spring drive, hand-over-hand and more.

Wide range of pressures

A wide variety of pressure ranges available



from 50 to 5000 PSI and beyond.

Unique options - Hose Boss™ rewind assist, tensioning bars, multiple fluid paths, level rewinds and much more.

No minimum quantities

Order from 1 to as many as you need.

Mining Firefighting Reels

Heavy Duty Hose Reels

Series 7000 - Air/Water/Oil/Grease

Model	Hose I.D.	Hose Length	Max PSI
7650 OLP	3/8"	50'	300
7850 OLP	1/2"	50'	300
7850 OMP	1/2"	50'	3250
7450 OHP	1/4"	50'	5000
7650 OHP	3/8"	50'	4800

Spring Driven
7850 OLP



Low Profile Hose Reels

Spring Driven
SD13050 OLP

Series SD10000 - Air/Water/Fuel

Model	Hose I.D.	Hose Length	Max PSI
SD13050 OLP	3/4"	50'	300
SD14050 OLP	1"	50'	300
FSD13050 OLP*	3/4"	50'	50*
FSD14050 OLP*	1"	50'	50*

*Models equipped with fuel grade hose.




Compact Dual Pedestal Hose Reels

Series DP7000 - Air/Water/Oil/Grease

Model	Hose I.D.	Hose Length	Max PSI
DP7650 OLP	1/4"	50'	300
DP7850 OLP	1/2"	50'	300
DP7850 OMP	1/2"	50'	3250
DP7450 OHP	1/4"	50'	5000
DP7650 OHP	3/8"	50'	4800

Spring Driven
DP7850 OLP



Ultimate Duty Hose Reels

Spring Driven
E9450 OLPBW

Series E9000 - Air/Water

Model	Hose I.D.	Hose Length	Max PSI
E9299 OLPBW	1/2"	100'	300
E9375 OLPBW	3/4"	75'	250
E9399 OLPBW	3/4"	100'	250
E9450 OLPBW	1"	50'	250




Heavy Duty Dual Pedestal Hose Reels

Series 80000 / D80000 -
Air/Water/Oil/Grease/Fuel

Model	Hose I.D.	Hose Length	Max PSI
81100 OLP	3/8"	100'	300
82100 OLP	1/2"	75'	300
D83075 OLP	3/4"	75'	250
FD83075 OLP*	3/4"	75'	50*
D84050 OLP	1"	50'	250
FD84050 OLP*	1"	50'	50*
82075 OMP	1/2"	75'	1500
83050 OMP	3/4"	50'	1250
81075 OHP	3/8"	75'	4800
81100 OHP	3/8"	100'	4800

Spring Driven
82100 OLP



*Models equipped with fuel grade hose.

Static Discharge Reels

Series G 3000

Model	Cable Notes	Cable Length
G 3050 N	Single 7 x 7 stranded steel	50'
GA3100 N	Hi-vis orange nylon covered cable	100'

Grounding Reels
G 3050 N




Pressure Wash Hose Reels

Series PW / 30000

Model	Hose I.D.	Hose Length	Max PSI
PW81000 OHP*	3/8"	100'	5000
CA38112 M*	3/8"	300'	5000

*Hose not included.
Series PW reels are spring driven.
Hand Crank
CA38112 M



Heavy Duty Power and Light Cord Reels

Series L4000 / L5000 / L7000

Model	Cord Ending	Cord Length	Amps
L 4545 123 9G	Triple Tap	45'	15
L 4050 163 10	LED Lamp	50'	13
L 5245 A 163 6X	Fluorescent	45'	0.13
L 4545 123 7A	Duplex Outlet Box w/GFCI	45'	20
L 5750 103 X	Flying Lead	50'	30
L 7050 104 X	Flying Lead	50'	20

Triple Tap
L 4545 123 9G




Heavy Duty Welding Hose Reels

Series TW

Twin Welding
TW7450 OLPT

Model	Hose I.D.	Hose Length	Max PSI
TW7450 OLPT	1/4"	50'	200
TW7460 OLPT	1/4"	60'	200
TW84100 OLPT	1/4"	100'	200
TW86075 OLPT	3/8"	75'	200



North America and Corporate Headquarters

2842 E. Business Hwy 30
Columbia City, IN 46725

Customer Service: 855-634-9109

Ph: 800-444-3134 • Fax: 800-444-4587

Ph: 260-248-8188 • Fax: 260-248-2605

reelcraft@reelcraft.com

www.reelcraft.com

Latin America and the Middle East

Thompson International, Inc.

P.O. Box 12958, Ft. Wayne, IN 46866

Ph: 260-489-1685 • Fax: 260-489-0203

info@t-i-i.com

www.reelcraft.com/latinamerica

Pacific Rim

P.O. Box 53776, Clark Freeport Zone
Philippines 2023

Ph: +63 (45) 625-6624

Fax: +63 (45) 321-0643

rap@comclark.com

www.reelcraft.com/asia

Europe

Unit 17 • Cronin Courtyard
Weldon South Industrial Estate
Corby • Northamptonshire NN18 8AG
United Kingdom

Ph: +44 (0) 1536 406999

Fax: +44 (0) 1536 406777

europa@reelcraft.com

www.reelcraft.com/europe

China

Reelcraft Changzhou Co., Ltd.

Building C, No. 229 HeHai West Road

Changzhou, Jiangsu, China 213022

Ph: +86 (519) 8512 2391 ext. 8002

Fax: +86 (519) 8512 9309

rco@reelcraftchina.com

www.reelcraftchina.com

Australia

PO Box 6463 BC, Blacktown

NSW 2148, Australia

Ph: +61 (2) 9621 8988

Fax: +61 (2) 9621 7688

sales@recoila.com

www.reelcraft.com